



Focus on Nursing Pharmacology

Eighth Edition

Amy M. Karch



Wiley & Kluwer

NURSING TEST BANK

Table of Contents

Table of Contents	1
Chapter 01 - Introduction to Drugs	3
Chapter 02 - Drugs and the Body	20
Chapter 03 - Toxic Effects of Drugs	37
Chapter 04 - The Nursing Process in Drug Therapy and Patient Safety	54
Chapter 05 - Dosage Calculations	71
Chapter 06 - Challenges to Effective Drug Therapy	86
Chapter 07 - Introduction to Cell Physiology	103
Chapter 08 - Antiinfective Agents	120
Chapter 09 - Antibiotics	138
Chapter 10 - Antiviral Agents	155
Chapter 11 - Antifungal Agents	172
Chapter 12 - Antiprotozoal Agents	188
Chapter 13 - Anthelmintic Agents	204
Chapter 14 - Antineoplastic Agents	220
Chapter 15 - Introduction to the Immune Response and Inflammation	237
Chapter 16 - Antiinflammatory, Antiarthritis, and Related Agents	254
Chapter 17 - Immune Modulators	270
Chapter 18 - Vaccines and Sera	287
Chapter 19 - Introduction to Nerves and the Nervous System	304
Chapter 20 - Anxiolytic and Hypnotic Agents	320
Chapter 21 - Antidepressant Agents	337
Chapter 22 - Psychotherapeutic Agents	354
Chapter 23 - Antiseizure Agents	371
Chapter 24 - Antiparkinsonism Agents	388
Chapter 25 - Muscle Relaxants	404
Chapter 26 - Narcotics, Narcotic Antagonists, and Antimigraine Agents	420
Chapter 27 - General and Local Anesthetic Agents	436
Chapter 28 - Neuromuscular Junction Blocking Agents	453
Chapter 29 - Introduction to the Autonomic Nervous System	470
Chapter 30 - Adrenergic Agonists	487
Chapter 31 - Adrenergic Antagonists	503
Chapter 32 - Cholinergic Agonists	520
Chapter 33 - Anticholinergic Agents	536
Chapter 34 - Introduction to the Endocrine System	553
Chapter 35 - Hypothalamic and Pituitary Agents	569
Chapter 36 - Adrenocortical Agents	585
Chapter 37 - Thyroid and Parathyroid Agents	602
Chapter 38 - Agents to Control Blood Glucose Levels	619
Chapter 39 - Introduction to the Reproductive System	636
Chapter 40 - Drugs Affecting the Female Reproductive System	653
Chapter 41 - Drugs Affecting the Male Reproductive System	669
Chapter 42 - Introduction to the Cardiovascular System	685
Chapter 43 - Drugs Affecting Blood Pressure	702
Chapter 44 - Agents for Treating Heart Failure	719
Chapter 45 - Antiarrhythmic Agents	735
Chapter 46 - Antianginal Agents	752
Chapter 47 - Lipid-Lowering Agents	768
Chapter 48 - Drugs Affecting Blood Coagulation	785
Chapter 49 - Drugs Used to Treat Anemias	801
Chapter 50 - Introduction to the Renal System	817

Chapter 51 - Diuretic Agents	833
Chapter 52 - Drugs Affecting the Urinary Tract and the Bladder	849
Chapter 53 - Introduction to the Respiratory System	866
Chapter 54 - Drugs Acting on the Upper Respiratory Tract	883
Chapter 55 - Drugs Acting on the Lower Respiratory Tract	900
Chapter 56 - Introduction to the Gastrointestinal System	917
Chapter 57 - Drugs Affecting Gastrointestinal Secretions	933
Chapter 58 - Drugs Affecting Gastrointestinal Motility	949
Chapter 59 - Antiemetic Agents	965

Chapter 01 - Introduction to Drugs

1. A nurse working in radiology administers iodine to a patient who is having a computed tomography (CT) scan. The nurse working on the oncology unit administers chemotherapy to patients who have cancer. At the Public Health Department, a nurse administers a measles-mumps-rubella (MMR) vaccine to a 14-month-old child as a routine immunization. Which branch of pharmacology best describes the actions of all three nurses?

- A) Pharmacoeconomics
- B) Pharmacotherapeutics
- C) Pharmacodynamics
- D) Pharmacokinetics

Ans: B

Feedback:

Pharmacology is the study of the biologic effects of chemicals. Nurses are involved with clinical pharmacology or pharmacotherapeutics, which is a branch of pharmacology that deals with the uses of drugs to treat, prevent, and diagnose disease. The radiology nurse is administering a drug to help diagnose a disease. The oncology nurse is administering a drug to help treat a disease. Pharmacoeconomics includes any costs involved in drug therapy. Pharmacodynamics involves how a drug affects the body and pharmacokinetics is how the body acts on the body.

2. A physician has ordered intramuscular (IM) injections of morphine, a narcotic, every 4 hours as needed for pain in a motor vehicle accident victim. The nurse is aware this drug has a high abuse potential. Under what category would morphine be classified?

- A) Schedule I
- B) Schedule II
- C) Schedule III
- D) Schedule IV

Ans: B

Feedback:

Narcotics with a high abuse potential are classified as Schedule II drugs because of severe dependence

liability. Schedule I drugs have high abuse potential and no accepted medical use. Schedule III drugs have a lesser abuse potential than II and an accepted medical use. Schedule IV drugs have low abuse potential and limited dependence liability.

3. When involved in phase III drug evaluation studies, what responsibilities would the nurse have?

- A) Working with animals who are given experimental drugs
- B) Choosing appropriate patients to be involved in the drug study
- C) Monitoring and observing patients closely for adverse effects
- D) Conducting research to determine effectiveness of the drug

Ans: C

Feedback:

Phase III studies involve use of a drug in a vast clinical population in which patients are asked to record any symptoms they experience while taking the drugs. Nurses may be responsible for helping collect and analyze the information to be shared with the Food and Drug Administration (FDA) but would not conduct research independently because nurses do not prescribe medications. Use of animals in drug testing is done in the preclinical trials. Select patients who are involved in phase II studies to participate in studies where the participants have the disease the drug is intended to treat. These patients are monitored closely for drug action and adverse effects. Phase I studies involve healthy human volunteers who are usually paid for their participation. Nurses may observe for adverse effects and toxicity.

4. What concept is considered when generic drugs are substituted for brand name drugs?

- A) Bioavailability
- B) Critical concentration
- C) Distribution
- D) Half-life

Ans: A

Feedback:

Bioavailability is the portion of a dose of a drug that reaches the systemic circulation and is available to act on body cells. Binders used in a generic drug may not be the same as those used in the brand name drug. Therefore, the way the body breaks down and uses the drug may differ, which may eliminate a generic drug substitution. Critical concentration is the amount of a drug that is needed to cause a therapeutic effect and should not differ between generic and brand name medications. Distribution is the phase of pharmacokinetics, which involves the movement of a drug to the body's tissues and is the

same in generic and brand name drugs. A drug's half-life is the time it takes for the amount of drug to decrease to half the peak level, which should not change when substituting a generic medication.

5. A nurse is assessing the patient's home medication use. After listening to the patient list current medications, the nurse asks what priority question?
- A) Do you take any generic medications?
 - B) Are any of these medications orphan drugs?
 - C) Are these medications safe to take during pregnancy?
 - D) Do you take any over-the-counter medications?

Ans: D

Feedback:

It is important for the nurse to specifically question use of over-the-counter medications because patients may not consider them important. The patient is unlikely to know the meaning of orphan drugs unless they too are health care providers. Safety during pregnancy, use of a generic medication, or classification of orphan drugs are things the patient would be unable to answer but could be found in reference books if the nurse wishes to research them.

6. After completing a course on pharmacology for nurses, what will the nurse know?
- A) Everything necessary for safe and effective medication administration
 - B) Current pharmacologic therapy; the nurse will not require ongoing education for 5 years.
 - C) General drug information; the nurse can consult a drug guide for specific drug information.
 - D) The drug actions that are associated with each classification of medication

Ans: C

Feedback:

After completing a pharmacology course nurses will have general drug information needed for safe and effective medication administration but will need to consult a drug guide for specific drug information before administering any medication. Pharmacology is constantly changing, with new drugs entering the market and new uses for existing drugs identified. Continuing education in pharmacology is essential to safe practice. Nurses tend to become familiar with the medications they administer most often, but there will always be a need to research new drugs and also those the nurse is not familiar with because no nurse knows all medications.

7. A nurse is instructing a pregnant patient concerning the potential risk to her fetus from a Pregnancy Category B drug. What would the nurse inform the patient?
- A) Adequate studies in pregnant women have demonstrated there is no risk to the fetus.
 - B) Animal studies have not demonstrated a risk to the fetus, but there have been no adequate studies in pregnant women.
 - C) Animal studies have shown an adverse effect on the fetus, but there are no adequate studies in pregnant women.
 - D) There is evidence of human fetal risk, but the potential benefits from use of the drug may be acceptable despite potential risks.

Ans: B

Feedback:

Category B indicates that animal studies have not demonstrated a risk to the fetus. However, there have not been adequate studies in pregnant women to demonstrate risk to a fetus during the first trimester of pregnancy and no evidence of risk in later trimesters. Category A indicates that adequate studies in pregnant women have not demonstrated a risk to the fetus in the first trimester or in later trimesters. Category C indicates that animal studies have shown an adverse effect on the fetus, but no adequate studies in humans. Category D reveals evidence of human fetal risk, but the potential benefits from the use of the drugs in pregnant women may outweigh potential risks.

8. Discharge planning for patients leaving the hospital should include instructions on the use of over-the-counter (OTC) drugs. Which comment by the patient would demonstrate a good understanding of OTC drugs?
- A) OTC drugs are safe and do not cause adverse effects if taken properly.
 - B) OTC drugs have been around for years and have not been tested by the Food and Drug Administration (FDA).
 - C) OTC drugs are different from any drugs available by prescription and cost less.
 - D) OTC drugs could cause serious harm if not taken according to directions.

Ans: D

Feedback:

It is important to follow package directions because OTCs are medications that can cause serious harm if not taken properly. OTCs are drugs that have been determined to be safe when taken as directed; however, all drugs can produce adverse effects even when taken properly. They may have originally been prescription drugs that were tested by the FDA or they may have been grandfathered in when the

FDA laws changed. OTC education should always be included as a part of the hospital discharge instructions.

9. What would be the best source of drug information for a nurse?

- A) *Drug Facts and Comparisons*
- B) A nurse's drug guide
- C) A drug package insert
- D) *The Physicians' Drug Reference (PDR)*

Ans: B

Feedback:

A nurse's drug guide provides nursing implications and patient teaching points that are most useful to nurses in addition to need-to-know drug information in a very user friendly organizational style. *Lippincott's Nursing Drug Guide (LNDG)* has drug monographs organized alphabetically and includes nursing implications and patient teaching points. Numerous other drug handbooks are also on the market and readily available for nurses to use. Although other drug reference books such as *Drug Facts and Comparisons*, PDR, and drug package inserts can all provide essential drug information, they will not contain nursing implications and teaching points and can be more difficult to use than nurse's drug guides.

10. The nurse is preparing to administer a medication from a multidose bottle. The label is torn and soiled but the name of the medication is still readable. What is the nurse's priority action?

- A) Discard the entire bottle and contents and obtain a new bottle.
- B) Find the drug information and create a new label for the bottle.
- C) Ask another nurse to verify the contents of the bottle.
- D) Administer the medication if the name of the drug can be clearly read.

Ans: A

Feedback:

When the drug label is soiled obscuring some information the safest action by the nurse is to discard the bottle and contents because drug labels contain a great deal of important information, far more than just the name of the drug. Concentration of the drug, expiration date, administration directions, and precautions may be missing from the label and so put the patient at risk. Looking up drug information in a drug handbook or consulting with another nurse will not supply the expiration date or concentration of medication. Be safe and discard the bottle and its contents.

11. What aspect of pharmacology does a nurse study? (Select all that apply.)

- A) Chemical pharmacology
- B) Molecular pharmacology
- C) Impact of drugs on the body
- D) The body's response to a drug
- E) Adverse and anticipated drug effects

Ans: C, D, E

Feedback:

Nurses study pharmacology from a pharmacotherapeutic level, which includes the effect of drugs on the body, the body's response to drugs, and both expected and unexpected drug effects. Chemical and molecular pharmacology (Options A and B) are not included in nursing pharmacology courses.

12. The nurse, providing patient teaching about home medication use to an older adult, explains that even when drugs are taken properly they can produce negative or unexpected effects. What are these negative or unexpected effects called?

- A) Teratogenic effects
- B) Toxic effects
- C) Adverse effects
- D) Therapeutic effects

Ans: C

Feedback:

Negative or unexpected effects are known as adverse or side effects. Teratogenic effects are adverse effects on the fetus and not a likely concern for an older adult. Toxic effects occur when medication is taken in larger than recommended dosages caused by an increase in serum drug levels. Therapeutic effects are the desired actions for which the medication is prescribed.

13. After administering a medication, for what would the nurse assess the patient?

- A) Drug effects
- B) Allergies
- C) Pregnancy
- D) Preexisting conditions

Ans: A

Feedback:

After the medication is administered, the nurse assesses the patient for drug affects, both therapeutic and adverse. The nurse would assess the patient for allergies, preexisting conditions, and pregnancy before administering a medication.

14. The nurse receives an order to administer an unfamiliar medication and obtains a nurse's drug guide published four years earlier. What is the nurse's most prudent action?
- A) Find a more recent reference source.
 - B) Use the guide if the drug is listed.
 - C) Ask another nurse for drug information.
 - D) Verify the information in the guide with the pharmacist.

Ans: A

Feedback:

The nurse is responsible for all medications administered and must find a recent reference source to ensure the information learned about the medication is correct and current. Using an older drug guide could be dangerous because it would not contain the most up-to-date information. Asking another nurse or the pharmacist does not guarantee accurate information will be obtained and could harm the patient if the information is wrong.

15. What would the nurse provide when preparing a patient for discharge and home medication self-administration?
- A) Personal contact information to use if the patient has questions
 - B) Thorough medication teaching about drugs and the drug regimen
 - C) Over-the-counter medications to use to treat potential adverse effects

- D) A sample size package of medication to take home until prescription is filled

Ans: B

Feedback:

The nurse is responsible for providing thorough medication teaching about drugs and the drug regimen to ensure the patient knows how to take the medication and when to notify the provider. The nurse never provides personal contact information to a patient. If adverse effects arise, the patient is taught to call the health care provider and should not self-medicate with over-the-counter drugs, which could mask serious symptoms. The nurse never dispenses medication because it must be properly labeled for home use; this is done by the pharmacy.

16. In response to the patient's question about how to know whether drugs are safe, the nurse explains that all medications undergo rigorous scientific testing controlled by what organization?

- A) Food and Drug Administration (FDA)
B) Drug Enforcement Agency (DEA)
C) Centers for Disease Control and Prevention (CDC)
D) Joint Commission on Accreditation of Healthcare Organizations (JCAHO)

Ans: A

Feedback:

The FDA is responsible for controlling and regulating the development and sale of drugs in the United States, allowing new drugs to enter the market only after being subjected to rigorous scientific testing. The DEA regulates and controls the use of controlled substances. The CDC monitors and responds to infectious diseases. The JCAHO is an accrediting body that inspects acute care facilities to ensure minimum standards are met.

17. The nurse, assisting with Phase I drug studies, is talking with a woman who asks, Why can't I participate in this study? What would be the nurse's best response?

- A) Drugs pose a greater risk to women of reproductive age.
B) Drugs are only tested on men because they are stronger.
C) Women are more prone to adverse effects from medications.
D) Drugs affect women differently than they affect women.

Ans: A

Feedback:

Phase I drug trials usually involve healthy male volunteers because chemicals may exert an unknown and harmful effect on ova in women which could result in fetal damage when the woman becomes pregnant. Drugs are tested on both men and women, but women must be fully informed of risks and sign a consent stating they understand the potential for birth defects. Women are not more prone to adverse effects of medications. Although some drugs may affect women differently than men, this is a rationale for why drugs need to be tested on women, not an explanation of why women are not included in a phase I study.

18. The patient tells the nurse about a new drug being tested to treat the disease she was diagnosed with and asks the nurse whether the doctor can prescribe a medication still in the preclinical phase of testing. What is the nurse's best response?
- A) The doctor would have to complete a great deal of paperwork to get approval to prescribe that drug.
 - B) Sometimes pharmaceutical companies are looking for volunteers to test a new drug and the doctor could give them your name.
 - C) Drugs in the preclinical phase of testing are only tested on animals and so would not be available to you.
 - D) Drugs in the preclinical phase of testing are given only to healthy young men and so would not be available to you.

Ans: C

Feedback:

During the preclinical phase of testing drugs are tested on animals and are not available to patients. In phase I, the drug is tested on volunteers who are usually healthy young men. It is only in phase III studies that the drug is made available to prescribers who agree to closely monitor patients getting the medication.

19. The nurse is caring for a patient who had a severe, acute, previously unseen adverse effect of a drug in Phase III testing. The patient asks, After all the testing done on this drug, didn't they know this adverse effect could occur? What is the nurse's best response? (Select all that apply.)
- A) Pharmaceutical companies sometimes underreport problems to make more money.
 - B) Your response to this medication will be reported to the drug company and the Food and Drug Administration (FDA).
 - C) When a drug begins to be used by a large clinical market, new adverse effects may be found.